| 1 | CITY OF YACHATS |
|----------------------|---|
| 2 | PLANNING COMMISSION |
| 3 | Work Session |
| 4 | December 6, 2016 |
| 5 | Minutes |
| 6 | Minutes |
| 7 8 9 | Vice Chair Ron Urban called the December 6, 2016 work session to order at 2:00 p.m. in the Civic Meeting room of the Yachats Commons. Members present: Urban, Helen Anderson, Christine Orchard, Shelly Shrock, Nan Scott. Absent: John Deriberprey, Ken Aebi |
| 10 11 12 13 | Vice Chair Urban briefly reviewed the 'prioritized code amendment list' with the Planning Commission. The Commission determined that the next subject to review will be the stream/drainage way setbacks. |
| 14 15 16 | I. Steep Slopes (Hazard Areas) |
| 17 | The Commission reviewed the memorandum provided by city planner Lewis including the |
| 18 | recommended revisions to Yachats Zoning & Land Use Code Section 9.52.050 Hazard Areas. |
| 19 | The Commission also reviewed written testimony provided by Ron Grinnell. The Commission |
| 20 | requested the following revisions to the draft amendment: |
| 21 | |
| 22 | Section A. Eliminate "but not limited to minimum" from the fourth and fifth line. |
| 23 | |
| 24 | Section A.1 Per recommendation from public input, change "Zero to eleven (11)" to "less than |
| 25 | twelve (12)". |
| 26 | |
| 27 | Section A.2 Reformat with bullets to better identify the four types of development that require |
| 28 | a geotechnical report on slopes of 12 percent or greater. Separate the last sentence regarding |
| 29 | requirements at the completion of a project with a new paragraph. |
| 30 | Caption A.2. Add "twolve" evice to 100/ to be consistent with the other parts of this Caption |
| 31 | Section A.3 Add "twelve" prior to 12% to be consistent with the other parts of this Section. |
| 32 33 | Section A.2 Maintain "ar" not "and" at the and of subsection 1) partaining to definition of |
| 33 34 | Section A.3 Maintain "or", not "and" at the end of subsection 1) pertaining to definition of slope and requirements for having a geotechnical report. |
| 35 | siope and requirements for having a geotechnical report. |
| 36 | Section A.4 Editorial changes and change "zero to eleven (11)" to "less then twelve (12). |
| 37 | Section A.4 Editorial changes and change zero to eleven (11) to less them twelve (12). |
| 38 | Section B. Add "or greater" after 12 percent. |
| 39 | |
| 40 | The Planning Commission will continue discussion on the Hazard Area amendments at the |
| 41 | January 2017 work session. The work session was adjourned at 3:00 p.m. |
| 42 | |
| 43 | |
| 44 | Ron Urban, Vice Chair |
| 45 | |
| 46 | Attest: |
| 47 | |
| 48 | |
| 49 | |